

## K. D. M. HARRIS: LIST OF PUBLICATIONS

1. A comparison between "mixed phase electrode" and percolation models for composite electrodes in solid state cells.  
K.D.M. Harris, M.D. Rogers, C.A. Vincent.  
*Solid State Ionics*, **1986**, 18&19, 833–837.
2. ESR and X-ray diffraction studies of diacyl peroxides in urea and aluminosilicate hosts.  
M.D. Hollingsworth, K.D.M. Harris, W. Jones, J.M. Thomas.  
*Journal of Inclusion Phenomena*, **1987**, 5, 273–277.
3. Organic molecules in constrained environments.  
J.M. Thomas, K.D.M. Harris.  
*Organic Solid State Chemistry* (Editor: G.R. Desiraju), Elsevier, **1987**, pp. 179–206 (Chapter 6).
4. Cs<sub>2</sub>Bi<sub>10</sub>Ca<sub>6</sub>Cl<sub>12</sub>O<sub>16</sub>: a new type of catalyst for selective oxidation derived from bismuth oxychloride.  
K.D.M. Harris, W. Ueda, J.M. Thomas, G.W. Smith.  
*Angewandte Chemie, International Edition in English*, **1988**, 27, 1364–1365.  
*Angewandte Chemie*, **1988**, 100, 1415–1416.
5. <sup>2</sup>H NMR investigation of the dynamic behaviour of *n*-hexadecane in its urea inclusion compound.  
K.D.M. Harris, P. Jonsen.  
*Chemical Physics Letters*, **1989**, 154, 593–598.
6. Organic crystals: Losing symmetry by design.  
K.D.M. Harris, M.D. Hollingsworth.  
*Nature*, **1989**, 341, 19.
7. New families of catalysts for the selective oxidation of methane.  
J.M. Thomas, W. Ueda, J. Williams, K.D.M. Harris.  
*Faraday Discussions of the Chemical Society*, **1989**, 87, 33–45.
8. Investigation of a time-dependent 'non-discrete' component of X-ray scattering from monohalocyclohexane/thiourea inclusion compounds.  
K.D.M. Harris.  
*Journal of Solid State Chemistry*, **1990**, 84, 280–288.
9. Structural aspects of the chlorocyclohexane/thiourea inclusion system.  
K.D.M. Harris, J.M. Thomas.  
*Journal of the Chemical Society, Faraday Transactions*, **1990**, 86, 1095–1101.
10. Structural aspects of urea inclusion compounds and their investigation by X-ray diffraction: a general discussion.  
K.D.M. Harris, J.M. Thomas.  
*Journal of the Chemical Society, Faraday Transactions*, **1990**, 86, 2985–2996.
11. A mathematical model of one-dimensional inclusion compounds: a new approach towards understanding commensurate and incommensurate behaviour.  
A.J.O. Rennie, K.D.M. Harris.  
*Proceedings of the Royal Society A*, **1990**, 430, 615–640.
12. Powder X-ray diffraction studies of a low-temperature phase transition in the *n*-hexadecane/urea inclusion compound.  
K.D.M. Harris, I. Gameson, J.M. Thomas.  
*Journal of the Chemical Society, Faraday Transactions*, **1990**, 86, 3135–3143.
13. Probing the properties of urea inclusion compounds.  
K.D.M. Harris, J.M. Thomas.  
*Molecular Crystals and Liquid Crystals*, **1990**, 186, 177–184.
14. Structural properties of the guest species in diacyl peroxide/urea inclusion compounds: an X-ray diffraction investigation.  
K.D.M. Harris, M.D. Hollingsworth.  
*Proceedings of the Royal Society A*, **1990**, 431, 245–269.
15. Mathematical analysis of intra-stack dimerizations in reactive crystalline solids.  
K.D.M. Harris, J.M. Thomas, D. Williams.  
*Journal of the Chemical Society, Faraday Transactions*, **1991**, 87, 325–331.

16. Probing polymorphism and reactivity in the organic solid state using  $^{13}\text{C}$  NMR spectroscopy: studies of *p*-formyl-*trans*-cinnamic acid.  
K.D.M. Harris, J.M. Thomas.  
*Journal of Solid State Chemistry*, **1991**, *94*, 197–205.
17. Structural properties of  $\alpha,\omega$ -dibromoalkane/urea inclusion compounds: a new type of interchannel guest molecule ordering.  
K.D.M. Harris, S.P. Smart, M.D. Hollingsworth.  
*Journal of the Chemical Society, Faraday Transactions*, **1991**, *87*, 3423–3429.
18. The cyanuric acid/biuret co-crystal: a new type of hydrogen-bonded system formed between a molecule and its solution-phase decomposition product.  
N.M. Stainton, K.D.M. Harris, R.A. Howie.  
*Journal of the Chemical Society, Chemical Communications*, **1991**, 1781–1784.
19. Is the guest periodicity of  $\text{CH}_3(\text{CH}_2)_n\text{CH}_3$ /urea inclusion compounds linearly dependent on  $n$ ? A mathematical analysis.  
A.J.O. Rennie, K.D.M. Harris.  
*Chemical Physics Letters*, **1992**, *188*, 1–4.
20. Raman spectroscopic studies of urea inclusion compounds containing  $\alpha,\omega$ -dibromoalkane guests.  
S.P. Smart, K.D.M. Harris, F. Guillaume, A. El Baghdadi.  
*Molecular Crystals and Liquid Crystals*, **1992**, *211*, 157–166.
21. The structural response of the host framework following removal of the guest molecules from a urea inclusion compound: a Monte Carlo simulation study.  
K.D.M. Harris.  
*Journal of Physics and Chemistry of Solids*, **1992**, *53*, 529–537.
22. A quantitative analysis of guest periodicity in one-dimensional inclusion compounds.  
A.J.O. Rennie, K.D.M. Harris.  
*Journal of Chemical Physics*, **1992**, *96*, 7117–7124.
23. Probing hydrogen-bonding patterns in co-crystals of amides and triarylphosphine oxides using high-resolution solid state  $^{31}\text{P}$  NMR spectroscopy.  
S. Arumugam, C. Glidewell, K.D.M. Harris.  
*Journal of the Chemical Society, Chemical Communications*, **1992**, 724–726.
24. Determination of a molecular crystal structure by X-ray powder diffraction on a conventional laboratory instrument.  
P. Lightfoot, M. Tremayne, K.D.M. Harris, P.G. Bruce.  
*Journal of the Chemical Society, Chemical Communications*, **1992**, 1012–1013.
25. Dynamic properties of  $\alpha,\omega$ -dibromoalkane guest molecules constrained within urea inclusion compounds: a neutron scattering study.  
S.P. Smart, F. Guillaume, K.D.M. Harris, C. Sourisseau, A.J. Dianoux.  
*Physica B*, **1992**, *180&181*, 687–690.
26. Neutron scattering investigation of host molecular motion in the hexadecane/urea inclusion compound.  
K.D.M. Harris, F. Guillaume, S.P. Smart, C. Sourisseau, A.J. Dianoux.  
*Journal of Chemical Research (S)*, **1992**, 276–277.
27. High-resolution solid state  $^{13}\text{C}$  NMR studies of ferrocene as a function of magic angle sample spinning frequency.  
I.J. Shannon, K.D.M. Harris, S. Arumugam.  
*Chemical Physics Letters*, **1992**, *196*, 588–596.
28. *Ab initio* structure determination of  $\text{LiCF}_3\text{SO}_3$  from X-ray powder diffraction data using entropy maximization and likelihood ranking.  
M. Tremayne, P. Lightfoot, M.A. Mehta, P.G. Bruce, K.D.M. Harris, K. Shankland, C.J. Gilmore, G. Bricogne.  
*Journal of Solid State Chemistry*, **1992**, *100*, 191–196.
29. Application of the combined maximum entropy and likelihood method to the *ab initio* determination of an organic crystal structure from X-ray powder diffraction data.  
M. Tremayne, P. Lightfoot, C. Glidewell, K.D.M. Harris, K. Shankland, C.J. Gilmore, G. Bricogne, P.G. Bruce.  
*Journal of Materials Chemistry*, **1992**, *2*, 1301–1302.
30. Variation of  $^{13}\text{C}$  NMR linewidths of metallocenes as a function of magic angle sample spinning frequency.  
I.J. Shannon, K.D.M. Harris, S. Arumugam.  
*Bulletin of Magnetic Resonance*, **1992**, *14*, 273–277.

31.  $^{37}\text{Cl}/^{35}\text{Cl}$  isotope effects in  $^{13}\text{C}$  NMR spectroscopy of chlorohydrocarbons.  
A.E. Aliev, K.D.M. Harris.  
*Magnetic Resonance in Chemistry*, **1993**, 31, 54–57.
32. Evidence for migration of guest molecules into the tunnel structure of urea inclusion compounds.  
A. Mahdyarfar, K.D.M. Harris.  
*Journal of the Chemical Society, Chemical Communications*, **1993**, 51–53.
33. Molecular confinement.  
K.D.M. Harris.  
*Chemistry in Britain*, **1993**, 29, 132–136.
34. High-resolution solid state  $^{13}\text{C}$  and  $^{29}\text{Si}$  NMR investigations of the dynamic properties of tetrakis(trimethylsilyl)silane.  
A.E. Aliev, K.D.M. Harris, D.C. Apperley.  
*Journal of the Chemical Society, Chemical Communications*, **1993**, 251–253.
35. A  $^{13}\text{C}$  CP/MAS NMR study of a double *tert*-butyl group rotation in the solid state using  $T_{1\rho}$  and line shape measurements.  
F.G. Riddell, S. Arumugam, K.D.M. Harris, M. Rogerson, J.H. Strange.  
*Journal of the American Chemical Society*, **1993**, 115, 1881–1885.
36. Solid state NMR.  
K.D.M. Harris.  
*Nuclear Magnetic Resonance*, **1993**, 22, 230–260.
37. Predicting X-ray diffraction intensity distributions for one-dimensional inclusion compounds *via* local density functional calculations.  
K.D.M. Harris, A.R. George, J.M. Thomas.  
*Journal of the Chemical Society, Faraday Transactions*, **1993**, 89, 2017–2021.
38. Theoretical prediction of the guest periodicity of alkane/urea inclusion compounds.  
I.J. Shannon, K.D.M. Harris, A.J.O. Rennie, M.B. Webster.  
*Journal of the Chemical Society, Faraday Transactions*, **1993**, 89, 2023–2029.
39. Ab initio determination of molecular crystal structures using powder diffraction data from a laboratory X-ray source.  
P. Lightfoot, M. Tremayne, K.D.M. Harris, C. Glidewell, K. Shankland, C.J. Gilmore, P.G. Bruce.  
*Materials Science Forum*, **1993**, 133–136, 207–212.
40. Conformational properties of monosubstituted cyclohexanes in their thiourea inclusion compounds and in solution: variable temperature one-dimensional and two-dimensional  $^{13}\text{C}$  NMR investigations.  
A.E. Aliev, K.D.M. Harris.  
*Journal of the American Chemical Society*, **1993**, 115, 6369–6377.
41. EXAFS spectroscopic studies of the bromine environment in the crystalline inclusion compounds formed between urea and  $\alpha,\omega$ -dibromoalkanes.  
I.J. Shannon, K.D.M. Harris, A. Mahdyarfar, P. Johnston, R.W. Joyner.  
*Journal of the Chemical Society, Faraday Transactions*, **1993**, 89, 3099–3104.
42. Unusual conformational behaviour in the chlorocyclohexane/thiourea inclusion compound: a theoretical rationalization.  
P.A. Schofield, K.D.M. Harris, I.J. Shannon, A.J.O. Rennie.  
*Journal of the Chemical Society, Chemical Communications*, **1993**, 1293–1295.
43. Investigation and rationalization of hydrogen bonding patterns in sulfonyl amino compounds and related materials: crystal structure determination of microcrystalline solids from powder X-ray diffraction data.  
P. Lightfoot, M. Tremayne, C. Glidewell, K.D.M. Harris, P.G. Bruce.  
*Journal of the Chemical Society, Perkin Transactions 2*, **1993**, 1625–1630.
44. Crystal engineering of hydrogen-bonded co-crystals between cyanuric acid and "diamide" molecules. Investigations on the formation and structure of hydrogen-bonded co-crystals containing cyanuric acid and oxalyl dihydrazide.  
K.D.M. Harris, N.M. Stainton, A.M. Callan, R.A. Howie.  
*Journal of Materials Chemistry*, **1993**, 3, 947–952.
45. Natural abundance solid state  $^2\text{H}$  NMR studies of phase transitions in rotator phase solids.  
A.E. Aliev, K.D.M. Harris.  
*Mendeleev Communications*, **1993**, 153–155.

46. Investigating the structure and dynamics of a family of organic solids: the alkane/urea inclusion compounds.  
K.D.M. Harris.  
*Journal of Solid State Chemistry*, **1993**, *106*, 83–98.
47. ( $^{13}\text{C}$ ,  $^2\text{H}$ ) residual dipolar interaction and spin-spin coupling effects in high-resolution  $^{13}\text{C}$  NMR spectra of solids.  
A.E. Aliev, K.D.M. Harris, D.C. Apperley, R.K. Harris, M.M. Sünnetçioğlu.  
*Journal of the Chemical Society, Faraday Transactions*, **1993**, *89*, 3791–3796.
48. Dynamic properties of *p*-diiodobenzene investigated by solid state  $^2\text{H}$  and  $^{13}\text{C}$  NMR spectroscopy.  
A.E. Aliev, K.D.M. Harris, X. Alcobé, E. Estop.  
*Journal of the Chemical Society, Faraday Transactions*, **1993**, *89*, 3797–3800.
49. Structural properties of urea inclusion compounds containing carboxylic acid anhydride guest molecules: anomalous modes of guest-molecule ordering.  
I.J. Shannon, N.M. Stainton, K.D.M. Harris.  
*Journal of Materials Chemistry*, **1993**, *3*, 1085–1090.
50. Structural and dynamic properties of the  $\text{C}_{60}/n$ -pentane inclusion compound: solid state  $^{13}\text{C}$  NMR investigations.  
A.E. Aliev, K.D.M. Harris, M. Tegze, S. Pekker.  
*Journal of Materials Chemistry*, **1993**, *3*, 1091–1094.
51. Aspects of the characterization of cloverite by solid-state n.m.r. techniques.  
B. Zibrowius, M.W. Anderson, W. Schmidt, F.-F. Schüth, A.E. Aliev, K.D.M. Harris.  
*Zeolites*, **1993**, *13*, 607–610.
52. Dynamic properties of the urea molecules in  $\alpha,\omega$ -dibromoalkane/urea inclusion compounds investigated by  $^2\text{H}$  NMR spectroscopy.  
A.E. Aliev, S.P. Smart, K.D.M. Harris.  
*Journal of Materials Chemistry*, **1994**, *4*, 35–39.
53. Solid state NMR.  
K.D.M. Harris, A.E. Aliev.  
*Nuclear Magnetic Resonance*, **1994**, *23*, 206–244.
54. Neutron scattering investigations of guest molecular dynamics in  $\alpha,\omega$ -dibromoalkane/urea inclusion compounds.  
F. Guillaume, S.P. Smart, K.D.M. Harris, A.J. Dianoux.  
*Journal of Physics: Condensed Matter*, **1994**, *6*, 2169–2184.
55. Zig-zag channels in the structure of sebaconitrile/urea.  
M.D. Hollingsworth, B.D. Santarsiero, K.D.M. Harris.  
*Angewandte Chemie, International Edition in English*, **1994**, *33*, 649–652.  
*Angewandte Chemie*, **1994**, *106*, 698–701.
56. Crystal structure determination from powder diffraction data by Monte Carlo methods.  
K.D.M. Harris, M. Tremayne, P. Lightfoot, P.G. Bruce.  
*Journal of the American Chemical Society*, **1994**, *116*, 3543–3547.
57. Temperature dependent structural properties of *p*-diiodobenzene: neutron diffraction and high-resolution solid state  $^{13}\text{C}$  NMR investigations.  
X. Alcobé, E. Estop, A.E. Aliev, K.D.M. Harris, J. Rodriguez-Carvajal, J. Rius.  
*Journal of Solid State Chemistry*, **1994**, *110*, 20–27.
58. Conformational and vibrational properties of  $\alpha,\omega$ -dihalogenoalkane/urea inclusion compounds: Raman scattering investigations.  
S.P. Smart, A. El Baghdadi, F. Guillaume, K.D.M. Harris.  
*Journal of the Chemical Society, Faraday Transactions*, **1994**, *90*, 1313–1322.
59. Conformational properties of monosubstituted cyclohexane guest molecules constrained within zeolitic host materials: a multinuclear solid state NMR investigation.  
A.E. Aliev, K.D.M. Harris, R.C. Mordi.  
*Journal of the Chemical Society, Faraday Transactions*, **1994**, *90*, 1323–1328.
60. Elastic constants of the dioctanoyl peroxide/urea inclusion compound determined by Brillouin scattering.  
D. Schmicker, S. van Smaalen, C. Haas, K.D.M. Harris.  
*Physical Review B*, **1994**, *49*, 11572–11579.

61. Solid state dynamic properties of tetrakis(trimethylsilyl)methane: high-resolution solid state  $^{13}\text{C}$  and  $^{29}\text{Si}$  NMR investigations.  
A.E. Aliev, K.D.M. Harris, D.C. Apperley, R.K. Harris.  
*Journal of Solid State Chemistry*, **1994**, *110*, 314–320.
62. The rôle of powder diffraction in establishing structure-property relationships for crystalline solids: a new structural assignment of the photoreactive and photostable phases of *p*-formyl-*trans*-cinnamic acid.  
K.D.M. Harris, I.L.J. Patterson.  
*Journal of the Chemical Society, Perkin Transactions 2*, **1994**, 1201–1203.
63. Simple technique for temperature calibration of a MAS probe for solid-state NMR spectroscopy.  
A.E. Aliev, K.D.M. Harris.  
*Magnetic Resonance in Chemistry*, **1994**, *32*, 366–369.
64. Physico-chemical properties of solid one-dimensional inclusion compounds.  
K.D.M. Harris.  
*Materials Science Forum*, **1994**, *152–153*, 155–162.
65. Structural and dynamic properties of hydrogen bonding in a tetrahedral arrangement of methanol molecules. A theoretical investigation.  
E.J. MacLean, K.D.M. Harris, S.L. Price.  
*Chemical Physics Letters*, **1994**, *225*, 273–279.
66. Natural abundance high-resolution solid state  $^2\text{H}$  NMR spectroscopy.  
A.E. Aliev, K.D.M. Harris, D.C. Apperley.  
*Chemical Physics Letters*, **1994**, *226*, 193–198.
67. Properties of the guest molecules in the 1,10-dibromodecane/urea inclusion compound: a molecular dynamics simulation study.  
A.R. George, K.D.M. Harris.  
*Journal of Materials Chemistry*, **1994**, *4*, 1731–1735.
68. Solid-state  $^{13}\text{C}$  nuclear magnetic resonance investigations of molecular dynamics in crystalline benzenetricarbonylchromium.  
A.E. Aliev, K.D.M. Harris, F. Guillaume, P.J. Barrie.  
*Journal of the Chemical Society, Dalton Transactions*, **1994**, 3193–3195.
69. Probing chemical transformations in organic solids *via* NMR techniques: the solid state photodimerization reaction of 7-methoxy-4-methylcoumarin.  
S.G. Stitchell, K.D.M. Harris, A.E. Aliev.  
*Structural Chemistry*, **1994**, *5*, 327–333.
70. Carbon-halogen second-order quadrupolar and indirect spin-spin coupling effects in high-resolution solid state  $^{13}\text{C}$  NMR spectra of halobenzenes.  
A.E. Aliev, K.D.M. Harris, P.J. Barrie, S. Camus.  
*Journal of the Chemical Society, Faraday Transactions*, **1994**, *90*, 3729–3730.
71. Computational investigation of surface structural relaxation in crystalline urea.  
A.R. George, K.D.M. Harris, A.L. Rohl, D.H. Gay.  
*Journal of Materials Chemistry*, **1995**, *5*, 133–140.
72. Observation of the sliding mode in incommensurate intergrowth compounds: Brillouin scattering from the inclusion compound of urea and heptadecane.  
D. Schmicker, S. van Smaalen, J.L. de Boer, C. Haas, K.D.M. Harris.  
*Physical Review Letters*, **1995**, *74*, 734–737.
73. Solid dynamics.  
K.D.M. Harris, A.E. Aliev.  
*Chemistry in Britain*, **1995**, *31*, 132–136.
74. Dynamics of the benzene moiety in crystalline benzenetricarbonylchromium: potential and limitations of  $^2\text{H}$  NMR lineshape analysis and  $^2\text{H}$  NMR spin-lattice relaxation time measurements.  
A.E. Aliev, K.D.M. Harris, F. Guillaume.  
*Journal of Physical Chemistry*, **1995**, *99*, 1156–1165.

75. Probing the conformational properties of guest molecules in solid inclusion compounds via EXAFS spectroscopy: bromine K-edge EXAFS studies of the bromocyclohexane/thiourea and *trans*-1-bromo-2-chlorocyclohexane/thiourea inclusion compounds.  
I.J. Shannon, M.J. Jones, K.D.M. Harris, M.R.H. Siddiqui, R.W. Joyner.  
*Journal of the Chemical Society, Faraday Transactions*, **1995**, *91*, 1497–1501.
76. Dynamics of benzene and pyridine guest molecules in their tri-*ortho*-thymotide inclusion compounds. Solid state  $^2\text{H}$  NMR studies.  
A.E. Aliev, K.D.M. Harris, A. Mahdyarfar.  
*Journal of the Chemical Society, Faraday Transactions*, **1995**, *91*, 2017–2026.
77. Solid state  $^2\text{H}$  NMR studies of guest molecular dynamics in the benzenetricarbonylchromium/thiourea inclusion compound.  
A.E. Aliev, K.D.M. Harris, F. Guillaume.  
*Journal of Chemical Research (S)*, **1995**, 294–295.
78. Representing and understanding geometric features of one-dimensional tunnel structures in solid inclusion compounds.  
A.R. George, K.D.M. Harris.  
*Journal of Molecular Graphics*, **1995**, *13*, 138–141.
79. Solid state  $^2\text{H}$  and  $^{13}\text{C}$  NMR studies of hydrogen-bond dynamics in crystalline ferrocene-1,1'-diylbis(diphenylmethanol).  
A.E. Aliev, K.D.M. Harris, I.J. Shannon, C. Glidewell, C.M. Zakaria, P.A. Schofield.  
*Journal of Physical Chemistry*, **1995**, *99*, 12008–12015.
80. The synthesis, structural characterization and Raman spectroscopy of the inorganic pigments lead tin yellow types I and II and lead antimonate yellow: their identification on medieval paintings and manuscripts.  
R.J.H. Clark, L. Cridland, B.M. Kariuki, K.D.M. Harris, R. Withnall.  
*Journal of the Chemical Society, Dalton Transactions*, **1995**, 2577–2582.
81. Second-order quadrupolar effects for directly bonded and remote  $^{13}\text{C}$ - $^{79/81}\text{Br}$  spin pairs in high-resolution  $^{13}\text{C}$  NMR spectra of solids.  
A.E. Aliev, K.D.M. Harris, R.K. Harris, S.A. Carss, A.C. Olivieri.  
*Journal of the Chemical Society, Faraday Transactions*, **1995**, *91*, 3167–3176.
82. Surface structural properties of crystalline *s*-triazine: a computational investigation.  
A.R. George, P.A. Schofield, K.D.M. Harris.  
*Molecular Simulation*, **1995**, *15*, 65–78.
83. Phase transitions involving re-ordering of the guest molecules in a solid organic inclusion compound: heptanoic anhydride/urea.  
I.J. Shannon, K.D.M. Harris, F. Guillaume, E.H. Bocanegra, E.J. MacLean.  
*Journal of the Chemical Society, Chemical Communications*, **1995**, 2341–2342.
84. Crystallography of incommensurate intergrowth compounds.  
S. van Smaalen, D. Schmicker, J.L. de Boer, C. Haas, K.D.M. Harris.  
*Aperiodic '94* (Editors: G. Chapuis, W. Paciorek), World Scientific, **1995**, pp. 102–111.
85. Characterization of gauche end-groups in  $\alpha,\omega$ -dibromoalkanes: vibrational properties of the 1,6-dibromohexane/urea inclusion compound.  
L. Elizabe, S.P. Smart, A. El Baghdadi, F. Guillaume, K.D.M. Harris.  
*Journal of the Chemical Society, Faraday Transactions*, **1996**, *92*, 267–272.
86. Temperature-dependent structural properties of the chlorocyclohexane/thiourea inclusion compound investigated by synchrotron X-ray powder diffraction.  
M.J. Jones, I.J. Shannon, K.D.M. Harris.  
*Journal of the Chemical Society, Faraday Transactions*, **1996**, *92*, 273–279.
87. The anhydrous alums as model triangular lattice magnets.  
S.T. Bramwell, S.G. Carling, C.J. Harding, K.D.M. Harris, B.M. Kariuki, L. Nixon, I.P. Parkin.  
*Journal of Physics: Condensed Matter*, **1996**, *8*, L123–L129.
88. Structural and dynamic properties of urea and thiourea inclusion compounds.  
K.D.M. Harris.  
*Journal of Molecular Structure*, **1996**, *374*, 241–250.

89. Crystal structure solution from powder X-ray diffraction data: the development of Monte Carlo methods to solve the crystal structure of the  $\gamma$  phase of 3-chloro-*trans*-cinnamic acid.  
B.M. Kariuki, D.M.S. Zin, M. Tremayne, K.D.M. Harris.  
*Chemistry of Materials*, **1996**, 8, 565–569.
90. Superspace group descriptions of the symmetries of incommensurate urea inclusion compounds.  
S. van Smaalen, K.D.M. Harris.  
*Proceedings of the Royal Society A*, **1996**, 452, 677–700.
91. Molecular dynamics of tetrakis(trimethylsilyl)silane in the solid state: an incoherent quasielastic neutron scattering investigation.  
M.J. Jones, F. Guillaume, K.D.M. Harris, A.-J. Dianoux.  
*Proceedings of the Royal Society A*, **1996**, 452, 701–714.
92. Application of EXAFS spectroscopy to probe structural properties of solid inclusion compounds containing halogenoalkane guest molecules within the *catena*-[(1,2-diaminopropane)cadmium(II) tetra- $\mu$ -cyanonickelate(II)] host structure.  
M.J. Jones, K.D.M. Harris, G. Sankar, T. Maschmeyer, J.M. Thomas.  
*Journal of the Chemical Society, Faraday Transactions*, **1996**, 92, 1043–1050.
93. The development of Monte Carlo methods for crystal structure solution from powder diffraction data: simultaneous translation and rotation of a structural fragment within the unit cell.  
M. Tremayne, B.M. Kariuki, K.D.M. Harris.  
*Journal of Applied Crystallography*, **1996**, 29, 211–214.
94. Structural and dynamic properties of the 1,10-dibromodecane/urea inclusion compound, investigated by variable-temperature powder X-ray diffraction, solid-state  $^2\text{H}$  NMR lineshape analysis and solid-state  $^2\text{H}$  NMR spin-lattice relaxation time measurements.  
A.E. Aliev, S.P. Smart, I.J. Shannon, K.D.M. Harris.  
*Journal of the Chemical Society, Faraday Transactions*, **1996**, 92, 2179–2185.
95. Chiral recognition in incommensurate one-dimensional inclusion compounds: a computational investigation.  
L. Yeo, K.D.M. Harris.  
*Tetrahedron: Asymmetry*, **1996**, 7, 1891–1894.
96. Solution of an organic crystal structure from X-ray powder diffraction data by a generalized Monte Carlo method: crystal structure determination of 1-methylfluorene.  
M. Tremayne, B.M. Kariuki, K.D.M. Harris.  
*Journal of Materials Chemistry*, **1996**, 6, 1601–1604.
97. Urea, thiourea and selenourea inclusion compounds.  
M.D. Hollingsworth, K.D.M. Harris.  
*Comprehensive Supramolecular Chemistry* (Editors: D.D. MacNicol, F. Toda, R. Bishop), Pergamon, **1996**, Volume 6, pp. 177–237 (Chapter 7).
98. How strong is a  $\pi$ -facial hydrogen bond ?  
H. Adams, K.D.M. Harris, G.A. Hembury, C.A. Hunter, D. Livingstone, J.F. McCabe.  
*Chemical Communications*, **1996**, 2531–2532.
99. Crystal structure determination from powder diffraction data.  
K.D.M. Harris, M. Tremayne.  
*Chemistry of Materials*, **1996**, 8, 2554–2570.
100. A computational investigation of the dynamics of urea molecules in solids.  
S. Camus, K.D.M. Harris, S.L. Price.  
*Molecular Simulation*, **1996**, 18, 303–323.
101. Stochastic models for guest-guest interactions in one-dimensional inclusion compounds.  
K.D.M. Harris, P.E. Jupp.  
*Proceedings of the Royal Society A*, **1997**, 453, 333–352.
102. Structure determination of a complex organic solid from X-ray powder diffraction data by a generalized Monte Carlo method: the crystal structure of red fluorescein.  
M. Tremayne, B.M. Kariuki, K.D.M. Harris.  
*Angewandte Chemie, International Edition in English*, **1997**, 36, 770–772.  
*Angewandte Chemie*, **1997**, 109, 788–791.

103. Temperature-dependent structural properties of the 1,10-decanedicarboxylic acid/urea inclusion compound.  
L. Yeo, K.D.M. Harris, F. Guillaume.  
*Journal of Solid State Chemistry*, **1997**, *128*, 273–281.
104. Fluorocyclohexane ring inversion in a thiourea inclusion compound, studied by solid state fluorine-19 NMR with high-power proton decoupling.  
A. Nordon, R.K. Harris, L. Yeo, K.D.M. Harris.  
*Chemical Communications*, **1997**, 961–962.
105. A new hydrogen bonding motif based on 10-hydroxy-10,9-borazaro-phenanthrene.  
K.D.M. Harris, B.M. Kariuki, C. Lambropoulos, D. Philp, J.M.A. Robinson.  
*Tetrahedron*, **1997**, *53*, 8599–8612.
106. Dynamic properties of cyclohexane guest molecules constrained within the zeolite H-ZSM-5 host structure: a wide-line solid state  $^2\text{H}$  NMR investigation.  
A.E. Aliev, K.D.M. Harris.  
*Journal of Physical Chemistry A*, **1997**, *101*, 4541–4547.
107. Reorientational motions of dioctanoyl peroxide guest molecules within the urea tunnel structure: assessment of 2-site jump models.  
P. Girard, A.E. Aliev, F. Guillaume, K.D.M. Harris, M.D. Hollingsworth, A.-J. Dianoux, P. Jonsen.  
*Physica B*, **1997**, *234–236*, 112–114.
108. Mathematical analysis of the alignment of guest molecules in solid one-dimensional inclusion compounds: the design of materials for applications in non-linear optics.  
K.D.M. Harris, P.E. Jupp.  
*Chemical Physics Letters*, **1997**, *274*, 525–534.
109. Interfacial science of solid host-guest systems.  
K.D.M. Harris.  
*Interfacial Science: A "Chemistry for the 21st Century" Monograph* (Editor: M.W. Roberts), International Union for Pure and Applied Chemistry, Blackwell Science, **1997**, pp. 21–55 (Chapter 2).
110. Crystal engineering based on nitro derivatives of 10-hydroxy-10,9-borazarophenanthrene.  
J.M.A. Robinson, B.M. Kariuki, D. Philp, K.D.M. Harris.  
*Tetrahedron Letters*, **1997**, *38*, 6281–6284.
111. *Ab initio* calculation of  $^2\text{H}$  quadrupole coupling constants in molecular crystals: application to polymorphs of oxalic acid dihydrate.  
S. Camus, K.D.M. Harris, R.L. Johnston.  
*Chemical Physics Letters*, **1997**, *276*, 186–195.
112. The Meldola Lecture: understanding the properties of urea and thiourea inclusion compounds.  
K.D.M. Harris.  
*Chemical Society Reviews*, **1997**, *26*, 279–289.
113. Definitive structural characterization of the conventional low-temperature host structure in urea inclusion compounds.  
L. Yeo, K.D.M. Harris.  
*Acta Crystallographica, Section B*, **1997**, *53*, 822–830.
114. Topochemical rationalization of the solid state polymerization reaction of sodium chloroacetate: crystal structure determination from powder diffraction data by the Monte Carlo method.  
L. Elizabé, B.M. Kariuki, K.D.M. Harris, M. Tremayne, M. Epple, J.M. Thomas.  
*Journal of Physical Chemistry B*, **1997**, *101*, 8827–8831.
115. Application of triple-channel  $^{13}\text{C}$ - $\{^1\text{H}, ^{19}\text{F}\}$  NMR techniques to probe structural properties of disordered solids.  
A. Nordon, R.K. Harris, L. Yeo, K.D.M. Harris.  
*Chemical Communications*, **1997**, 2045–2046.
116. A new method for intercalation of basic guest molecules in the layered host material  $\alpha$ -zirconium phosphate.  
G.B. Hix, K.D.M. Harris.  
*European Journal of Inorganic and Solid State Chemistry*, **1997**, *34*, 589–598.
117. Structural properties of the low-temperature phase of the hexadecane/urea inclusion compound, investigated by synchrotron X-ray powder diffraction.  
L. Yeo, B.M. Kariuki, H. Serrano-González, K.D.M. Harris.  
*Journal of Physical Chemistry B*, **1997**, *101*, 9926–9931.

118. The application of a genetic algorithm for solving crystal structures from powder diffraction data.  
B.M. Kariuki, H. Serrano-González, R.L. Johnston, K.D.M. Harris.  
*Chemical Physics Letters*, **1997**, *280*, 189–195.
119. Preferential formation of  $C\equiv C-H\cdots\pi(C\equiv C)$  interactions in the solid state.  
J.M.A. Robinson, B.M. Kariuki, R.J. Gough, K.D.M. Harris, D. Philp.  
*Journal of Solid State Chemistry*, **1997**, *134*, 203–206.
120. A triphenylphosphine oxide–water aggregate facilitates an exceptionally short  $C-H\cdots O$  hydrogen bond.  
B.M. Kariuki, K.D.M. Harris, D. Philp, J.M.A. Robinson.  
*Journal of the American Chemical Society*, **1997**, *119*, 12679–12680.
121. Crystal structure solution from neutron powder diffraction data by a new Monte Carlo approach incorporating restrained relaxation of the molecular geometry.  
M. Tremayne, B.M. Kariuki, K.D.M. Harris, K. Shankland, K.S. Knight.  
*Journal of Applied Crystallography*, **1997**, *30*, 968–974.
122. Non-ideality and ion association in aqueous electrolyte solutions, and a simple experimental approach for their investigation.  
M.R. Wright, I.L.J. Patterson, K.D.M. Harris.  
*Journal of Chemical Education*, **1998**, *75*, 352–357.
123. Synthesis of layered nickel phosphonate materials based on a topotactic approach.  
G.B. Hix, K.D.M. Harris.  
*Journal of Materials Chemistry*, **1998**, *8*, 579–584.
124. Molecular dynamics of cyclohexane guest molecules in the cyclohexane/thiourea inclusion compound: an incoherent quasielastic neutron scattering investigation.  
M.J. Jones, F. Guillaume, K.D.M. Harris, A.E. Aliev, P. Girard, A.-J. Dianoux.  
*Molecular Physics*, **1998**, *93*, 545–554.
125. Dynamic properties of the hydrogen bonding arrangement in solid triphenylmethanol: an investigation by solid state  $^2H$  NMR spectroscopy.  
A.E. Aliev, E.J. MacLean, K.D.M. Harris, B.M. Kariuki, C. Glidewell.  
*Journal of Physical Chemistry B*, **1998**, *102*, 2165–2175.
126. A computational investigation of host-guest chiral recognition in incommensurate 2-bromoalkane/urea inclusion compounds.  
L. Yeo, K.D.M. Harris.  
*Journal of the Chemical Society, Faraday Transactions*, **1998**, *94*, 1633–1639.
127. Crystal structure solution as an optimization problem: a genetic algorithm for direct space structure solution from powder diffraction data.  
R.L. Johnston, B.M. Kariuki, K.D.M. Harris.  
*Fashioning a Model: Optimization Methods in Chemical Physics* (Editors: A. Ernesti, J.M. Hutson, M. Meuwly, N.J. Wright), CCP6, Daresbury, **1998**, pp. 41–47.
128. Conformational properties of guest molecules in constrained solid state environments: bromine K-edge X-ray absorption spectroscopy of 2-bromoalkane/urea inclusion compounds.  
L. Elizabé, L. Yeo, K.D.M. Harris, G. Sankar, J.M. Thomas.  
*Chemistry of Materials*, **1998**, *10*, 1220–1226.
129. Direct measurement of the distance between adjacent guest molecules in a disordered solid inclusion compound using solid-state  $^{19}F$ - $\{^1H\}$  NMR spectroscopy.  
A. Nordon, E. Hughes, R.K. Harris, L. Yeo, K.D.M. Harris.  
*Chemical Physics Letters*, **1998**, *289*, 25–29.
130. Crystal structure solution from powder diffraction data by the Monte Carlo method.  
K.D.M. Harris, B.M. Kariuki, M. Tremayne.  
*Materials Science Forum*, **1998**, *278–291*, 32–37.
131. A genetic algorithm for crystal structure solution from powder diffraction data.  
K.D.M. Harris, R.L. Johnston, B.M. Kariuki, M. Tremayne.  
*Journal of Chemical Research (S)*, **1998**, 390–391.
132. New methodologies for solving crystal structures from powder diffraction data.  
K.D.M. Harris, B.M. Kariuki, M. Tremayne, R.L. Johnston.  
*Molecular Crystals and Liquid Crystals*, **1998**, *313*, 1–14.

133. Topotactic synthesis of  $\alpha$ -zirconium phenylphosphonate from  $\alpha$ -zirconium phosphate.  
G.B. Hix, S.J. Kitchin, K.D.M. Harris.  
*Journal of the Chemical Society, Dalton Transactions*, **1998**, 2315–2319.
134. Molecular dynamics of cyclohexane guest molecules in the cyclohexane/thiourea inclusion compound: a combined MD-IQNS study.  
M.J. Jones, S. Camus, F. Guillaume, K.D.M. Harris, A.-J. Dianoux.  
*Physica B*, **1998**, 241–243, 472–474.
135. The genetic algorithm: foundations and applications in structure solution from powder diffraction data.  
K.D.M. Harris, R.L. Johnston, B.M. Kariuki.  
*Acta Crystallographica, Section A*, **1998**, 54, 632–645.
136. Dynamic properties of dioctanoyl peroxide guest molecules constrained within the urea tunnel structure: a combined incoherent quasielastic neutron scattering and solid state  $^2\text{H}$  nuclear magnetic resonance investigation.  
P. Girard, A.E. Aliev, F. Guillaume, K.D.M. Harris, M.D. Hollingsworth, A.-J. Dianoux, P. Jonsen.  
*Journal of Chemical Physics*, **1998**, 109, 4078–4089.
137. Magnetic structures of the triangular lattice magnets  $\text{AFe}(\text{SO}_4)_2$  ( $A = \text{K}, \text{Rb}, \text{Cs}$ ).  
H. Serrano-González, S.T. Bramwell, K.D.M. Harris, B.M. Kariuki, L. Nixon, I.P. Parkin, C. Ritter.  
*Journal of Applied Physics*, **1998**, 83, 6314–6316.
138.  $^2\text{H}$  NMR lineshape analysis using automated fitting procedures based on local and quasi-global optimization techniques.  
A.E. Aliev, K.D.M. Harris.  
*Magnetic Resonance in Chemistry*, **1998**, 36, 855–868.
139. Interchangeability of halogen and ethyne substituents in the solid state structures of di- and tri-substituted benzenes.  
J.M.A. Robinson, B.M. Kariuki, K.D.M. Harris, D. Philp.  
*Journal of the Chemical Society, Perkin Transactions 2*, **1998**, 2459–2469.
140. Precision in estimating the frequency separation between spectral lines.  
P.E. Jupp, K.D.M. Harris, A.E. Aliev.  
*Journal of Magnetic Resonance*, **1998**, 135, 23–29.
141. Application of a genetic algorithm in crystal structure determination from powder diffraction data.  
B.M. Kariuki, R.L. Johnston, K.D.M. Harris, K. Psallidas, S. Ahn, H. Serrano-González.  
*Communications in Mathematical and Computer Chemistry (MATCH)*, **1998**, 38, 123–135.
142. New light on an old story: the solid state transformation of ammonium cyanate into urea.  
J.D. Dunitz, K.D.M. Harris, R.L. Johnston, B.M. Kariuki, E.J. MacLean, K. Psallidas, W.B. Schweizer, R.R. Tykwinski.  
*Journal of the American Chemical Society*, **1998**, 120, 13274–13275.
143. Ring inversion of fluorocyclohexane in its solid thiourea inclusion compound.  
R.K. Harris, A. Nordon, K.D.M. Harris.  
*Magnetic Resonance in Chemistry*, **1999**, 37, 15–24.
144. Predictable solid state structures incorporating the  $\text{C}\equiv\text{C}-\text{H}\cdots\text{O}_2\text{N}$  supramolecular synthon.  
J.M.A. Robinson, D. Philp, B.M. Kariuki, K.D.M. Harris.  
*Chemical Communications*, **1999**, 329–330.
145. A new approach for indexing powder diffraction data based on whole-profile fitting and global optimization using a genetic algorithm.  
B.M. Kariuki, S.A. Belmonte, M.I. McMahon, R.L. Johnston, K.D.M. Harris, R.J. Nelmes.  
*Journal of Synchrotron Radiation*, **1999**, 6, 87–92.
146. Evolving opportunities in structure solution from powder diffraction data – crystal structure determination of a molecular system with 12 variable torsion angles.  
B.M. Kariuki, P. Calcagno, K.D.M. Harris, D. Philp, R.L. Johnston.  
*Angewandte Chemie, International Edition*, **1999**, 38, 831–835.  
*Angewandte Chemie*, **1999**, 111, 860–864.
147. Towards a fundamental understanding of urea and thiourea inclusion compounds.  
K.D.M. Harris.  
*Journal of the Chinese Chemical Society*, **1999**, 46, 5–22.

148. New approaches for solving crystal structures from powder diffraction data.  
K.D.M. Harris.  
*Journal of the Chinese Chemical Society*, **1999**, *46*, 23–34.
149. Structural disorder in solid *p*-iodotoluene.  
H. Serrano-González, K.D.M. Harris, S.J. Kitchin, A. Alvarez-Larena, E. Estop, X. Alcobé, E. Tauler, M. Labrador, D.C. Apperley.  
*Journal of Solid State Chemistry*, **1999**, *143*, 285–295.
150. Effects of fluorination on the properties of organic pigments.  
G. Chisholm, B. Hay, S.J. Kitchin, K.D.M. Harris, K.M. Morgan.  
*Dyes and Pigments*, **1999**, *42*, 159–172.
151. Structural and magnetic characterisation of the frustrated triangular lattice antiferromagnets CsFe(SO<sub>4</sub>)<sub>2</sub> and RbFe(SO<sub>4</sub>)<sub>2</sub>.  
H. Serrano-González, S.T. Bramwell, K.D.M. Harris, B.M. Kariuki, L. Nixon, I.P. Parkin, C. Ritter.  
*Physical Review B*, **1999**, *59*, 14451–14460.
152. The design of a molecularly selective capillary based on an incommensurate intergrowth structure.  
A.A. Khan, S.T. Bramwell, K.D.M. Harris, B.M. Kariuki, M.R. Truter.  
*Chemical Physics Letters*, **1999**, *307*, 320–326.
153. Controlling the crystal morphology of one-dimensional tunnel structures – induced crystallization of alkane/urea inclusion compounds as hexagonal flat plates.  
S.-O. Lee, K.D.M. Harris.  
*Chemical Physics Letters*, **1999**, *307*, 327–332.
154. Unravelling the disordered hydrogen bonding arrangement in solid triphenylmethanol.  
H. Serrano-González, K.D.M. Harris, C.C. Wilson, A.E. Aliev, S.J. Kitchin, B.M. Kariuki, M. Bach-Vergés, C. Glidewell, E.J. MacLean, W.W. Kagunya.  
*Journal of Physical Chemistry B*, **1999**, *103*, 6215–6223.
155. Structure determination of a steroid directly from powder diffraction data.  
B.M. Kariuki, K. Psallidas, K.D.M. Harris, R.L. Johnston, R.W. Lancaster, S.E. Staniforth, S.M. Cooper.  
*Chemical Communications*, **1999**, 1677–1678.
156. 10 nm electron beam lithography using a triphenylene derivative as a negative/positive tone resist.  
A.P.G. Robinson, R.E. Palmer, T. Tada, T. Kanayama, M.T. Allen, J.A. Preece, K.D.M. Harris.  
*Journal of Physics D: Applied Physics*, **1999**, *32*, L75–L78.
157. An evolving technique for powder structure solution – fundamentals and applications of the genetic algorithm.  
K.D.M. Harris, R.L. Johnston, B.M. Kariuki.  
*Anales de Química, International Edition*, **1999**, *94*, 410–416.
158. Recognition-mediated facilitation of a disfavoured Diels-Alder reaction.  
R. Bennes, D. Philp, N. Spencer, B.M. Kariuki, K.D.M. Harris.  
*Organic Letters*, **1999**, *1*, 1087–1090.
159. Spring-loading at the molecular level: relaxation of guest-induced strain in channel inclusion compounds.  
M.D. Hollingsworth, U. Werner-Zwanziger, M.E. Brown, J.D. Chaney, J.C. Huffman, K.D.M. Harris, S.P. Smart.  
*Journal of the American Chemical Society*, **1999**, *121*, 9732–9733.
160. Covalent self-assembly of a dimeric borazaaromatic macrocycle.  
P.J. Comina, D. Philp, B.M. Kariuki, K.D.M. Harris.  
*Chemical Communications*, **1999**, 2279–2280.
161. A theoretical framework for the experimental determination of host-guest interaction energies in solid inclusion compounds.  
K.D.M. Harris, P.E. Jupp, S.-O. Lee.  
*Journal of Chemical Physics*, **1999**, *111*, 9784–9790.
162. Structural and diffraction properties of incommensurate solid inclusion compounds formed between  $\alpha,\omega$ -dihalogenoalkanes and tri-*ortho*-thymotide.  
H. Serrano-González, K.D.M. Harris.  
*Journal of Solid State Chemistry*, **1999**, *148*, 63–74.

163. Powder Solve – a complete package for crystal structure solution from powder diffraction patterns.  
G.E. Engel, S. Wilke, O. König, K.D.M. Harris, F.J.J. Leusen.  
*Journal of Applied Crystallography*, **1999**, 32, 1169–1179.
164. Temperature-dependent structural properties of a solid urea inclusion compound containing chiral guest molecules: 2-bromotetradecane/urea.  
L. Yeo, K.D.M. Harris.  
*Canadian Journal of Chemistry*, **1999**, 77, 2105–2118.
165. Definition of a "guiding function" in global optimization: a hybrid approach combining energy and R-factor in structure solution from powder diffraction data.  
O.J. Lanning, S. Habershon, K.D.M. Harris, R.L. Johnston, B.M. Kariuki, E. Tedesco, G.W. Turner.  
*Chemical Physics Letters*, **2000**, 317, 296–303.
166. Structural properties of self-organised organo-silicon macromolecular films investigated by scanning tunnelling microscopy and X-ray diffraction.  
P. Miao, A.W. Robinson, R.E. Palmer, B.M. Kariuki, K.D.M. Harris.  
*Journal of Physical Chemistry B*, **2000**, 104, 1285–1291.
167. Structural aspects of a commensurate tunnel inclusion compound of tri-*ortho*-thymotide containing 1,8-dibromooctane guest molecules.  
H. Serrano-González, K.D.M. Harris.  
*Journal of Molecular Structure*, **2000**, 519, 41–54.
168. *In-situ* monitoring of solid state polymerization reactions in sodium chloroacetate and sodium bromoacetate by  $^{23}\text{Na}$  and  $^{13}\text{C}$  solid-state NMR spectroscopy.  
A.E. Aliev, L. Elizabé, B.M. Kariuki, H. Kirschnick, J.M. Thomas, M. Epple, K.D.M. Harris.  
*Chemistry – A European Journal*, **2000**, 6, 1120–1126.
169. Implementation of Lamarckian concepts in a Genetic Algorithm for structure solution from powder diffraction data.  
G.W. Turner, E. Tedesco, K.D.M. Harris, R.L. Johnston, B.M. Kariuki.  
*Chemical Physics Letters*, **2000**, 321, 183–190.
170. Polymerization of aniline on copper phosphonate materials.  
G.B. Hix, V.C. Maddocks, K.D.M. Harris.  
*Polyhedron*, **2000**, 19, 765–770.
171. Electronic and local structural properties of the  $\text{Bi}_2\text{Sr}_2(\text{Ca}_{1-x}\text{Y}_x)\text{Cu}_2\text{O}_{8+\delta}$  family of materials, studied by X-ray absorption spectroscopy.  
I.-J. Hsu, R.-S. Liu, J.-M. Chen, R.-G. Liu, L.-Y. Jang, J.-F. Lee, K.D.M. Harris.  
*Chemistry of Materials*, **2000**, 12, 1115–1121.
172. Intermolecular organization of triphenylene-based discotic mesogens by interdigitation of alkyl chains.  
M.T. Allen, K.D.M. Harris, B.M. Kariuki, N. Kumari, J.A. Preece, S. Diele, D. Lose, T. Hegmann, C. Tschierske.  
*Liquid Crystals*, **2000**, 27, 689–692.
173. Using polarisation effects to alter chemical reactivity – a simple host which enhances amine nucleophilicity.  
P.R. Ashton, P. Calcagno, N. Spencer, K.D.M. Harris, D. Philp.  
*Organic Letters*, **2000**, 2, 1365–1368.
174. Systematic computational study of the geometrical dependence of deuterium quadrupole interaction parameters in an  $\text{O}^2\text{H}\cdots\text{O}=\text{C}$  hydrogen bonded system.  
G.W. Turner, R.L. Johnston, K.D.M. Harris.  
*Chemical Physics*, **2000**, 256, 159–168.
175. Rotary resonance recoupling of  $^{13}\text{C}$ – $^1\text{H}$  dipolar interactions in magic angle spinning  $^{13}\text{C}$  NMR of dynamic solids.  
S.J. Kitchin, K.D.M. Harris, A.E. Aliev, D.C. Apperley.  
*Chemical Physics Letters*, **2000**, 323, 490–497.
176. Structural understanding of a polymorphic system by structure solution and refinement from powder X-ray diffraction data: the  $\alpha$  and  $\beta$  phases of the latent pigment DPP-Boc.  
E.J. MacLean, M. Tremayne, B.M. Kariuki, K.D.M. Harris, A.F.M. Iqbal, Z. Hao.  
*Journal of the Chemical Society, Perkin Transactions 2*, **2000**, 1513–1519.
177. Understanding the structural properties of a homologous series of bis-diphenylphosphine oxides.  
P. Calcagno, B.M. Kariuki, S.J. Kitchin, J.M.A. Robinson, D. Philp, K.D.M. Harris.  
*Chemistry – A European Journal*, **2000**, 6, 2338–2349.

178. Evolutionary algorithms in crystallographic applications.  
K.D.M. Harris, R.L. Johnston, B.M. Kariuki.  
*Evolutionary Algorithms in Computer-Aided Molecular Design* (Editor: D.E. Clark), Wiley-VCH, **2000**, pp. 159–194 (Chapter 9).
179. A triphenylene derivative as a novel negative/positive tone resist at 10 nanometer resolution.  
T. Tada, T. Kanayama, A.P.G. Robinson, R.E. Palmer, M.T. Allen, J.A. Preece, K.D.M. Harris.  
*Microelectronic Engineering*, **2000**, *53*, 425–428.
180. Weak interactions in crystal engineering – understanding the recognition properties of the nitro group.  
J.M.A. Robinson, D. Philp, K.D.M. Harris, B.M. Kariuki.  
*New Journal of Chemistry*, **2000**, *24*, 799–806.
181. Molecular dynamics simulation study of cyclohexane guest molecules in the cyclohexane/thiourea inclusion compound.  
J.-C. Soetens, A. Desmedt, F. Guillaume, K.D.M. Harris.  
*Chemical Physics*, **2000**, *261*, 125–135.
182. Polysubstituted derivatives of triphenylene as high resolution electron beam resists for nanolithography.  
A.P.G. Robinson, R.E. Palmer, T. Tada, T. Kanayama, M.T. Allen, J.A. Preece, K.D.M. Harris.  
*Journal of Vacuum Science and Technology B*, **2000**, *18*, 2730–2736.
183. Polymorphism in *p*-hydroxybenzoic acid: the effect of intermolecular hydrogen bonding in controlling proton order versus disorder in the carboxylic acid dimer motif.  
B.M. Kariuki, C.L. Bauer, K.D.M. Harris, S.J. Teat.  
*Angewandte Chemie, International Edition*, **2000**, *39*, 4485–4488.  
*Angewandte Chemie*, **2000**, *112*, 4659–4662.
184. Structure determination of an oligopeptide directly from powder diffraction data.  
E. Tedesco, G.W. Turner, K.D.M. Harris, R.L. Johnston, B.M. Kariuki.  
*Angewandte Chemie, International Edition*, **2000**, *39*, 4488–4491.  
*Angewandte Chemie*, **2000**, *112*, 4662–4665.
185. Solving crystal structures from powder diffraction data in direct space – progress in the application of genetic algorithms.  
K.D.M. Harris, B.M. Kariuki, R.L. Johnston.  
*Advances in Structure Analysis* (Editors: R. Kuzel, J. Jasek), Czech and Slovak Crystallographic Association, Prague, **2001**, pp. 190–204.
186. Intermolecular organisation of triphenylene-based discotic mesogens by interdigitation of alkyl chains.  
M.T. Allen, S. Diele, K.D.M. Harris, T. Hegmann, B.M. Kariuki, J.A. Preece, D. Lose, C. Tschierske.  
*Journal of Materials Chemistry*, **2001**, *11*, 302–311.
187. Polymorphic phase transformation in the 3-bromo-*trans*-cinnamic acid system.  
S. Ahn, K.D.M. Harris, B.M. Kariuki, D.M.S. Zin.  
*Journal of Solid State Chemistry*, **2001**, *156*, 10–15.
188. Temperature-dependent structural properties and crystal twinning in the fluorocyclohexane/thiourea inclusion compound.  
L. Yeo, K.D.M. Harris, B.M. Kariuki.  
*Journal of Solid State Chemistry*, **2001**, *156*, 16–25.
189. Structural aspects of the solid state polycondensation reaction in alkali 4-halogenomethylbenzoates.  
O. Herzberg, H. Ehrenberg, S.J. Kitchin, K.D.M. Harris, M. Eppler.  
*Journal of Solid State Chemistry*, **2001**, *156*, 61–67.
190. A simulated annealing approach for crystal structure solution from powder diffraction data.  
G.E. Engel, S. Wilke, K.D.M. Harris, B.M. Kariuki, S. Ahn, F.J.J. Leusen, M.A. Neumann.  
*Molecular Crystals and Liquid Crystals*, **2001**, *356*, 355–364.
191. Solving crystal structures from powder diffraction data using genetic algorithms.  
B.M. Kariuki, K.D.M. Harris, R.L. Johnston.  
*Molecular Crystals and Liquid Crystals*, **2001**, *356*, 469–481.
192. Probing host-guest interaction energies in solid inclusion compounds from experimental studies of competitive inclusion.  
S.-O. Lee, K.D.M. Harris, P.E. Jupp, L. Elizabé, S. Swinburn.  
*Molecular Crystals and Liquid Crystals*, **2001**, *356*, 517–525.

193. Polymorphs of a 1:1 co-crystal with tunnel and layer structures: *p,p'*-biphenol/dimethyl sulfoxide. S. Ahn, B.M. Kariuki, K.D.M. Harris. *Crystal Growth and Design*, **2001**, *1*, 107–111.
194. A method for understanding characteristics of multi-dimensional hypersurfaces, illustrated by energy and powder profile R-factor hypersurfaces for molecular crystals. G.W. Turner, E. Tedesco, K.D.M. Harris, R.L. Johnston, B.M. Kariuki. *Zeitschrift für Kristallographie*, **2001**, *216*, 187–189.
195. Dynamic properties of the tetrahydrofuran clathrate hydrate, investigated by solid state  $^2\text{H}$  NMR spectroscopy. M. Bach-Vergés, S.J. Kitchin, K.D.M. Harris, M. Zugic, C.A. Koh. *Journal of Physical Chemistry B*, **2001**, *105*, 2699–2706.
196. Contemporary advances in the use of powder X-ray diffraction for structure determination. K.D.M. Harris, M. Tremayne, B.M. Kariuki. *Angewandte Chemie, International Edition*, **2001**, *40*, 1626–1651. *Angewandte Chemie*, **2001**, *113*, 1674–1700.
197. Towards molecular sieve inorganic catalysts that are akin to enzymes: studies of a selective cyclo-dimerization over ferrierite at ambient temperature. S.-O. Lee, G. Sankar, S.J. Kitchin, M. Dugal, J.M. Thomas, K.D.M. Harris. *Catalysis Letters*, **2001**, *73*, 91–94.
198. *Ab initio* structure determination of a peptide  $\beta$ -turn from powder X-ray diffraction data. E. Tedesco, K.D.M. Harris, R.L. Johnston, G.W. Turner, K.M.P. Raja, P. Balaram. *Chemical Communications*, **2001**, 1460–1461.
199. Substituent effects on aromatic interactions in the solid state. H. Adams, P.L. Bernad, D.S. Eggleston, R.C. Haltiwanger, K.D.M. Harris, G.A. Hembury, C.A. Hunter, D.J. Livingstone, B.M. Kariuki, J.F. McCabe. *Chemical Communications*, **2001**, 1500–1501.
200. Phase transitions and molecular dynamics in the cyclohexane/thiourea inclusion compound. A. Desmedt, S.J. Kitchin, F. Guillaume, M. Couzi, K.D.M. Harris, E.H. Bocanegra. *Physical Review B*, **2001**, *64*, 054106-1–054106-21 [Paper Number: 054106].
201. Structure solution of molecular crystals from powder diffraction data using genetic algorithms: opportunities in academic and industrial research. K.D.M. Harris, R.L. Johnston, B.M. Kariuki, E. Tedesco, G.W. Turner. *Materials Science Forum*, **2001**, *378–381*, 38–46.
202. Structure determination of 4,4'-trimethylenedipyridine from powder diffraction data. E. Tedesco, S.S. Dhillon, K.D.M. Harris, R.L. Johnston, G.W. Turner, B.M. Kariuki. *Materials Science Forum*, **2001**, *378–381*, 784–788.
203. Structural aspects of high-efficiency blue-emitting 2,5-bis(trimethylsilyl)thiophene-S,S-dioxide and related materials. E. Tedesco, B.M. Kariuki, K.D.M. Harris, R.L. Johnston, O. Pudova, G. Barbarella, E.A. Marseglia, G. Gigli, R. Cingolani. *Journal of Solid State Chemistry*, **2001**, *161*, 121–128.
204. Porous poly(D,L-lactide) and poly(D,L-lactide-co-glycolide) by thermal salt elimination from halogenocarboxylates. M. Siedler, S.J. Kitchin, K.D.M. Harris, A.L.C. Lagoa, H.P. Diogo, M.E. Minas da Piedade, M. Epple. *Journal of the Chemical Society, Dalton Transactions*, **2001**, 3140–3148.
205. A borazaaromatic analogue of isophthalic acid. P.R. Ashton, K.D.M. Harris, B.M. Kariuki, D. Philp, J.M.A. Robinson, N. Spencer. *Journal of the Chemical Society, Perkin Transactions 2*, **2001**, 2166–2173.
206. Structural rationalization directly from powder diffraction data: intermolecular aggregation in 2-(methylsulfonyl)ethyl succinimidyl carbonate. D. Albesa-Jové, E. Tedesco, K.D.M. Harris, R.L. Johnston, E.Y. Cheung. *Crystal Growth and Design*, **2001**, *1*, 425–428.
207. Structure determination of molecular crystals directly from powder diffraction data. K.D.M. Harris. *The Rigaku Journal*, **2001**, *18*, 23–32.

208. Fine-tuning the crystal morphology of tunnel inclusion compounds: a general strategy.  
N.E. Kelly, S.-O. Lee, K.D.M. Harris.  
*Journal of the American Chemical Society*, **2001**, *123*, 12682–12683.
209. A new type of layered structure for urea inclusion compounds containing local segments of tunnels.  
S.-O. Lee, B.M. Kariuki, A.L. Richardson, K.D.M. Harris.  
*Journal of the American Chemical Society*, **2001**, *123*, 12684–12685.
210. Experimental determination of interaction energies in a porous molecular solid.  
S.-O. Lee, K.D.M. Harris, P.E. Jupp, L. Yeo.  
*Journal of the American Chemical Society*, **2001**, *123*, 12913–12914.
211. X-ray linear dichroism in an  $\alpha,\omega$ -dibromoalkane/urea inclusion compound and its application to polarization analysis of magnetic diffraction.  
S.P. Collins, D. Laundy, K.D.M. Harris, B.M. Kariuki, C.L. Bauer, S.D. Brown, P. Thompson.  
*Journal of Physics: Condensed Matter*, **2002**, *14*, 123–134.
212. C–H···O hydrogen bond mediated chain reversal in a peptide containing a  $\gamma$ -amino acid residue, determined directly from powder X-ray diffraction data.  
E.Y. Cheung, E.E. McCabe, K.D.M. Harris, R.L. Johnston, E. Tedesco, K.M.P. Raja, P. Balaram.  
*Angewandte Chemie, International Edition*, **2002**, *41*, 494–496.  
*Angewandte Chemie*, **2002**, *114*, 512–514.
213. Acid-catalyzed trimerization of acetaldehyde: a highly selective and reversible transformation at ambient temperature in a zeolitic solid.  
S.-O. Lee, S.J. Kitchin, K.D.M. Harris, G. Sankar, M. Dugal, J.M. Thomas.  
*Journal of Physical Chemistry B*, **2002**, *106*, 1322–1326.
214. Gaining insights into the evolutionary behaviour in genetic algorithm calculations, with applications to structure solution from powder diffraction data.  
S. Habershon, G.W. Turner, K.D.M. Harris, R.L. Johnston, J.M. Johnston.  
*Chemical Physics Letters*, **2002**, *353*, 185–194.
215. Characterization of intermolecular interactions in a disordered solid *via* a one-dimensional Patterson synthesis.  
M.-H. Chao, K.D.M. Harris, B.M. Kariuki, C.L. Bauer, B.M. Foxman.  
*Journal of Physical Chemistry B*, **2002**, *106*, 4032–4035.
216. Solid-state and solution phase reactivity of 10-hydroxy-10,9-boroxophenanthrene: a model building block for self-assembly processes.  
L.M. Greig, B.M. Kariuki, S. Habershon, N. Spencer, R.L. Johnston, K.D.M. Harris, D. Philp.  
*New Journal of Chemistry*, **2002**, *26*, 701–710.
217. Design of a bilayer structure in an organic inclusion compound.  
S.-O. Lee, B.M. Kariuki, K.D.M. Harris.  
*Angewandte Chemie, International Edition*, **2002**, *41*, 2181–2184.  
*Angewandte Chemie*, **2002**, *114*, 2285–2288.
218. Dynamic properties of the guest molecules in the pyrazine/ $\alpha$ -zirconium phosphate intercalation compound: a multi-nuclear solid state NMR study.  
M. Bach-Vergés, S.J. Kitchin, A.E. Aliev, G.B. Hix, K.D.M. Harris.  
*Chemistry of Materials*, **2002**, *14*, 2656–2663.
219. Structural rationalization of a highly selective ammonium ionophore.  
B.M. Kariuki, S.-O. Lee, K.D.M. Harris, H.-S. Kim, K.-S. Do, K.-I. Kim.  
*Crystal Growth and Design*, **2002**, *2*, 309–311.
220. Effects of polymorphism on functional group dynamics: solid state  $^2\text{H}$  NMR studies of the dynamic properties of the  $\alpha$  and  $\beta$  phases of L-glutamic acid.  
S.J. Kitchin, S. Ahn, K.D.M. Harris.  
*Journal of Physical Chemistry A*, **2002**, *106*, 7228–7234.
221. Towards an environmentally acceptable heterogeneous catalytic method of producing adipic acid by the oxidation of hydrocarbons in air.  
R. Raja, S.-O. Lee, M. Sanchez-Sanchez, G. Sankar, K.D.M. Harris, B.F.G. Johnson, J.M. Thomas.  
*Topics in Catalysis*, **2002**, *20*, 85–88.

222. Recent advances in the opportunities for solving molecular crystal structures directly from powder diffraction data: new insights in crystal engineering contexts.  
K.D.M. Harris, R.L. Johnston, E.Y. Cheung, G.W. Turner, S. Habershon, D. Albesa-Jové, E. Tedesco, B.M. Kariuki.  
*CrystEngComm*, **2002**, *4*, 356–367.
223. Hydrogen bond dynamics in solid triphenylsilanol.  
A.E. Aliev, C.E. Atkinson, K.D.M. Harris.  
*Journal of Physical Chemistry B*, **2002**, *106*, 9013–9018.
224. Structure determination of molecular materials from powder diffraction data.  
K.D.M. Harris.  
*Current Opinion in Solid State and Materials Science*, **2002**, *6*, 125–130.
225. Recent advances in the opportunities for solving molecular crystal structures directly from powder diffraction data.  
K.D.M. Harris, R.L. Johnston, G.W. Turner, E. Tedesco, E.Y. Cheung, B.M. Kariuki.  
*Molecular Crystals and Liquid Crystals*, **2002**, *389*, 123–129.
226. Local structural aspects of one-dimensional solid inclusion compounds.  
K.D.M. Harris.  
*Phase Transitions*, **2003**, *76*, 205–218.
227. Mechanistic insights into the conversion of cyclohexene to adipic acid by H<sub>2</sub>O<sub>2</sub> in the presence of a TAPO-5 catalyst.  
S.-O. Lee, R. Raja, K.D.M. Harris, J.M. Thomas, B.F.G. Johnson, G. Sankar.  
*Angewandte Chemie, International Edition*, **2003**, *42*, 1520–1523.  
*Angewandte Chemie*, **2003**, *115*, 1558–1561.
228. Structural aspects of the  $\beta$  polymorph of (E)-4-formylcinnamic acid: structure determination directly from powder diffraction data and elucidation of structural disorder from solid state NMR.  
S. Meejoo, B.M. Kariuki, S.J. Kitchin, E.Y. Cheung, D. Albesa-Jové, K.D.M. Harris.  
*Helvetica Chimica Acta*, **2003**, *86*, 1467–1477.
229. Design of a solid inclusion compound with optimal properties as a linear dichroic filter for X-ray polarization analysis.  
M.-H. Chao, B.M. Kariuki, K.D.M. Harris, S.P. Collins, D. Laundry.  
*Angewandte Chemie, International Edition*, **2003**, *42*, 2982–2985.  
*Angewandte Chemie*, **2003**, *115*, 3090–3093.
230. The interplay of aryl-perfluoroaryl stacking interactions and inter-stack hydrogen bonding in controlling the structure of a molecular cocrystal.  
S. Meejoo, B.M. Kariuki, K.D.M. Harris.  
*ChemPhysChem*, **2003**, *4*, 766–769.
231. Polymorphism of a novel sodium ion channel blocker.  
E.Y. Cheung, K.D.M. Harris, R.L. Johnston, K.L. Hadden, M. Zakrzewski.  
*Journal of Pharmaceutical Sciences*, **2003**, *92*, 2017–2026.
232. Development of a multi-population parallel genetic algorithm for structure solution from powder diffraction data.  
S. Habershon, K.D.M. Harris, R.L. Johnston.  
*Journal of Computational Chemistry*, **2003**, *24*, 1766–1774.
233. A straightforward and effective procedure to test for preferred orientation in polycrystalline samples prior to structure determination from powder diffraction data.  
E.Y. Cheung, K.D.M. Harris, B.M. Foxman.  
*Crystal Growth and Design*, **2003**, *3*, 705–710.
234. Enhancing the enantioselectivity of novel homogeneous organometallic hydrogenation catalysts.  
M.D. Jones, R. Raja, J.M. Thomas, B.F.G. Johnson, D.W. Lewis, J. Rouzard, K.D.M. Harris.  
*Angewandte Chemie, International Edition*, **2003**, *42*, 4326–4331.  
*Angewandte Chemie*, **2003**, *115*, 4462–4467.
235. Solid-state supramolecular organization, established directly from powder diffraction data, and photoluminescence efficiency of rigid-core oligothiophene-S,S-dioxides.  
E. Tedesco, F. Della Sala, L. Favaretto, G. Barbarella, D. Albesa-Jové, D. Pisignano, G. Gigli, R. Cingolani, K.D.M. Harris.  
*Journal of the American Chemical Society*, **2003**, *125*, 12277–12283.

236. New opportunities for structure determination of molecular materials directly from powder diffraction data.  
K.D.M. Harris.  
*Crystal Growth and Design*, **2003**, *3*, 887–895.
237. Molecular motion in solid ammonia trimethylalane.  
G. Tutoveanu, S.J. Kitchin, K.D.M. Harris, J. Müller.  
*Journal of Solid State Chemistry*, **2003**, *176*, 120–126.
238. Ammonium cyanate shows N–H···N hydrogen bonding, not N–H···O.  
E.J. MacLean, K.D.M. Harris, B.M. Kariuki, S.J. Kitchin, R.R. Tykwinski, I.P. Swainson, J.D. Dunitz.  
*Journal of the American Chemical Society*, **2003**, *125*, 14449–14451.
239. Structural characterization of industrially relevant polymorphic materials from powder diffraction data.  
K.D.M. Harris, E.Y. Cheung.  
*Organic Process Research and Development*, **2003**, *7*, 970–976.
240. Direct structure determination of a multi-component molecular crystal prepared by a solid state grinding procedure.  
E.Y. Cheung, S.J. Kitchin, K.D.M. Harris, Y. Imai, N. Tajima, R. Kuroda.  
*Journal of the American Chemical Society*, **2003**, *125*, 14658–14659.
241. Crystallization and preliminary X-ray diffraction data of *Mycobacterium tuberculosis* FbpC1 (Rv3803c).  
R.A. Wilson, S. Rai, W.N. Maughan, L. Kremer, B.M. Kariuki, K.D.M. Harris, T. Wagner, G.S. Besra, K. Fütterer.  
*Acta Crystallographica, Section D*, **2003**, *59*, 2303–2305.
242. Fundamental developments in direct-space techniques for structure solution from powder diffraction data.  
S. Habershon, D. Albesa-Jové, E.Y. Cheung, G.W. Turner, R.L. Johnston, K.D.M. Harris.  
*Materials Science Forum*, **2004**, *443–444*, 11–21.
243. Co-crystalline hydrogen bonded solids based on the alcohol–carboxylic acid–alcohol supramolecular motif.  
S.F. Alshahateet, K. Nakano, R. Bishop, D.C. Craig, K.D.M. Harris, M.L. Scudder.  
*CrystEngComm*, **2004**, *6*, 5–10.
244. Probing hydrogen bonding in solids using solid state NMR spectroscopy.  
A.E. Aliev, K.D.M. Harris.  
*Structure and Bonding*, **2004**, *108*, 1–53.
245. Powder diffraction indexing as a pattern recognition problem: a new approach for determining unit cell parameters based on an artificial neural network.  
S. Habershon, E.Y. Cheung, K.D.M. Harris, R.L. Johnston.  
*Journal of Physical Chemistry A*, **2004**, *108*, 711–716.
246. Comment on "A deuteron NMR study of the tetrahydrofuran clathrate hydrate. Part II: Coupling of rotational and translational dynamics of water".  
M. Bach-Vergés, S.J. Kitchin, K.D.M. Harris, M. Zugic, C.A. Koh.  
*Physical Chemistry Chemical Physics*, **2004**, *6*, 871–872.
247. Rationalizing the structural properties of bupivacaine base – a local anaesthetic – directly from powder diffraction data.  
E.Y. Cheung, K.D.M. Harris, R.L. Johnston, S.J. Kitchin, K.L. Hadden, M. Zakrzewski.  
*Journal of Pharmaceutical Sciences*, **2004**, *93*, 667–674.
248. Challenges in direct-space structure determination from powder diffraction data: a molecular material with four independent molecules in the asymmetric unit.  
D. Albesa-Jové, B.M. Kariuki, S.J. Kitchin, L. Grice, E.Y. Cheung, K.D.M. Harris.  
*ChemPhysChem*, **2004**, *5*, 414–418.
249. Applications of evolutionary computation in structure determination from diffraction data.  
K.D.M. Harris, R.L. Johnston, S. Habershon.  
*Structure and Bonding*, **2004**, *110*, 55–94.
250. Modern applications of powder X-ray diffraction in pharmaceutical sciences.  
K.D.M. Harris.  
*American Pharmaceutical Review*, **2004**, *7*, 86–91.
251. Structural aspects of a dendrimer precursor determined directly from powder X-ray diffraction data.  
Z. Pan, E.Y. Cheung, K.D.M. Harris, E.C. Constable, C.E. Housecroft.  
*Crystal Growth and Design*, **2004**, *4*, 451–455.

252. Incommensurate and commensurate structures.  
K.D.M. Harris.  
*Encyclopedia of Supramolecular Chemistry* (Editors: J.L. Atwood, J.W. Steed), Marcel Dekker, New York, **2004**, Volume 1, pp. 712–716.
253. Thiourea inclusion compounds.  
K.D.M. Harris.  
*Encyclopedia of Supramolecular Chemistry* (Editors: J.L. Atwood, J.W. Steed), Marcel Dekker, New York, **2004**, Volume 2, pp. 1501–1507.
254. Urea inclusion compounds.  
K.D.M. Harris.  
*Encyclopedia of Supramolecular Chemistry* (Editors: J.L. Atwood, J.W. Steed), Marcel Dekker, New York, **2004**, Volume 2, pp. 1538–1549.
255. An efficient algorithm for calculating whole-profile functions in crystal structure solution from powder diffraction data.  
S. Habershon, E.Y. Cheung, K.D.M. Harris, R.L. Johnston.  
*Chemical Physics Letters*, **2004**, 390, 394–398.
256. Direct time-resolved and spatially resolved monitoring of molecular transport in a crystalline nanochannel system.  
J. Marti-Rujas, A. Desmedt, K.D.M. Harris, F. Guillaume.  
*Journal of the American Chemical Society*, **2004**, 126, 11124–11125.
257. Ammonium cyanate: a DFT study of crystal structure, rotational barriers and vibrational spectrum.  
A. Alavi, R.J.C. Brown, S. Habershon, K.D.M. Harris, R.L. Johnston.  
*Molecular Physics*, **2004**, 102, 869–876.
258. How to determine structures when single crystals cannot be grown: opportunities for structure determination of molecular materials using powder diffraction data.  
K.D.M. Harris, E.Y. Cheung.  
*Chemical Society Reviews*, **2004**, 33, 526–538.
259. Developments in genetic algorithm techniques for structure solution from powder diffraction data.  
K.D.M. Harris, S. Habershon, E.Y. Cheung, R.L. Johnston.  
*Zeitschrift für Kristallographie*, **2004**, 219, 838–846.
260. Host-guest chiral discrimination in incommensurate 2-hydroxyalkane/urea inclusion compounds: a computational study.  
L. Yeo, K.D.M. Harris.  
*Mendeleev Communications*, **2004**, 14, 263–266.
261. Structural rationalisation of co-crystals formed between trithiocyanuric acid and molecules containing hydrogen bonding functionality.  
S. Ahn, J. PrakashaReddy, B.M. Kariuki, S. Chatterjee, A. Ranganathan, V.R. Pedireddi, C.N.R. Rao, K.D.M. Harris.  
*Chemistry – A European Journal*, **2005**, 11, 2433–2439.
262. Structural understanding of a molecular material that is accessed only by a solid state desolvation process: the scope of modern powder X-ray diffraction techniques.  
F. Guo, K.D.M. Harris.  
*Journal of the American Chemical Society*, **2005**, 127, 7314–7315.
263. Altering the polymorphic product distribution in a solid-state dehydration process by rapid sample rotation in a solid-state NMR probe.  
M. Xu, K.D.M. Harris.  
*Journal of the American Chemical Society*, **2005**, 127, 10832–10833.
264. Hydrogen-bonded chains of  $\alpha,\omega$ -diaminoalkane and  $\alpha,\omega$ -dihydroxyalkane guest molecules lead to disrupted tunnel structures in urea inclusion compounds.  
S.-O. Lee, B.M. Kariuki, K.D.M. Harris.  
*New Journal of Chemistry*, **2005**, 29, 1266–1271.
265. A case study in direct-space structure determination from powder X-ray diffraction data: finding the hydrate structure of an organic molecule with significant conformational flexibility.  
Z. Pan, E.Y. Cheung, K.D.M. Harris, E.C. Constable, C.E. Housecroft.  
*Crystal Growth and Design*, **2005**, 5, 2084–2090.

266. On the prospects for exploiting 4D ultrafast electron microscopy in solid-state organic and biological chemistry. K.D.M. Harris, J.M. Thomas. *Crystal Growth and Design*, **2005**, *5*, 2124–2130.
267. Significantly contrasting solid state dynamics of the racemic and enantiomerically pure crystalline forms of an amino acid. S.J. Kitchin, G. Tutoveanu, M.R. Steele, E.L. Porter, K.D.M. Harris. *Journal of Physical Chemistry B*, **2005**, *109*, 22808–22813.
268. Structural and dynamic aspects of hydrogen bonded complexes and inclusion compounds containing  $\alpha,\omega$ -dicyanoalkanes and urea, investigated by solid state  $^{13}\text{C}$  and  $^2\text{H}$  NMR techniques. A.E. Aliev, K.D.M. Harris, P.H. Champkin. *Journal of Physical Chemistry B*, **2005**, *109*, 23342–23350.
269. Structural properties of methoxy derivatives of benzyl bromide, determined directly from powder X-ray diffraction data. Z. Pan, E.Y. Cheung, K.D.M. Harris, E.C. Constable, C.E. Housecroft. *Powder Diffraction*, **2005**, *20*, 345–352.
270. Highly efficient one-step conversion of cyclohexane to adipic acid using single-site heterogeneous catalysts. R. Raja, J.M. Thomas, M. Xu, K.D.M. Harris, M. Greenhill-Hooper, K. Quill. *Chemical Communications*, **2006**, 448–450.
271. Alternative hydrogen bonding modes employed by a helical tubuland diol host molecule. W. Yue, K. Nakano, R. Bishop, D.C. Craig, K.D.M. Harris, M.L. Scudder. *CrystEngComm*, **2006**, *8*, 250–256.
272. Contrasting solid state structures of trithiocyanuric acid and cyanuric acid. F. Guo, E.Y. Cheung, K.D.M. Harris, V.R. Pedireddi. *Crystal Growth and Design*, **2006**, *6*, 846–848.
273. On the spontaneous induction of chirality in the preparation of Werner's complex *cis*-[CoBr(NH<sub>3</sub>)(en)<sub>2</sub>]Br<sub>2</sub>. F. Guo, M. Casadesus, E.Y. Cheung, M.P. Coogan, K.D.M. Harris. *Chemical Communications*, **2006**, 1854–1856.
274. Solid triphenylmethanol: a molecular material that undergoes multiple internal reorientational processes on different timescales. S.J. Kitchin, M. Xu, H. Serrano-González, L.J. Coates, S.Z. Ahmed, C. Glidewell, K.D.M. Harris. *Journal of Solid State Chemistry*, **2006**, *179*, 1335–1338.
275. Significant conformational changes associated with molecular transport in a crystalline solid. J. Martí-Rujas, K.D.M. Harris, A. Desmedt, F. Guillaume. *Journal of Physical Chemistry B*, **2006**, *110*, 10708–10713.
276. Understanding structural properties of a dendrimeric material directly from powder X-ray diffraction data. Z. Pan, M. Xu, E.Y. Cheung, K.D.M. Harris, E.C. Constable, C.E. Housecroft. *Journal of Physical Chemistry B*, **2006**, *110*, 11620–11623.
277. Molecular crystal structures from powder X-ray diffraction techniques. E.Y. Cheung, K.D.M. Harris. *Zeitschrift für Kristallographie*, **2006**, *S23*, 15–20.
278. Abundant polymorphism in a system with multiple hydrogen-bonding opportunities: oxalyl dihydrazide. S. Ahn, F. Guo, B.M. Kariuki, K.D.M. Harris. *Journal of the American Chemical Society*, **2006**, *128*, 8441–8452.
279. Design of a molecular quasicrystal. Z. Zhou, K.D.M. Harris. *ChemPhysChem*, **2006**, *7*, 1649–1653.  
[This paper was highlighted in *Chemical and Engineering News*, 14 August 2006]
280. Solid state structural properties of 2,4,6-trimethoxybenzene derivatives, determined directly from powder X-ray diffraction data in conjunction with other techniques. Z. Pan, M. Xu, E.Y. Cheung, J.A. Platts, K.D.M. Harris, E.C. Constable, C.E. Housecroft. *Journal of Solid State Chemistry*, **2006**, *179*, 3214–3223.

281. *In-situ* monitoring of alkane-alkane guest exchange in urea inclusion compounds using confocal Raman microspectrometry.  
J. Martí-Rujas, K.D.M. Harris, A. Desmedt, F. Guillaume.  
*Molecular Crystals and Liquid Crystals*, **2006**, *456*, 139–147.
282. Structure-reactivity correlations for solid state enantioselective photochemical reactions, established directly from powder X-ray diffraction.  
E.Y. Cheung, K.D.M. Harris, T. Kang, J.R. Scheffer, J. Trotter.  
*Journal of the American Chemical Society*, **2006**, *128*, 15554–15555.
283. Dichroic filters for astronomical X-ray polarimetry.  
N.P. Bannister, K.D.M. Harris, S.P. Collins, A. Martindale, G. Solan, P. Monks, G.W. Fraser.  
*Experimental Astronomy*, **2006**, *21*, 1–12.
284. A triptycene-based polymer of intrinsic microporosity that displays enhanced surface area and hydrogen adsorption.  
B.S. Ghanem, K.J. Msayib, N.B. McKeown, K.D.M. Harris, Z. Pan, P.M. Budd, J. Selbie, A. Butler, D. Book, A. Walton.  
*Chemical Communications*, **2007**, 67–69.
285. Structural properties of a family of hydrogen-bonded co-crystals formed between gemfibrozil and hydroxy derivatives of *t*-butylamine, determined directly from powder X-ray diffraction data.  
E.Y. Cheung, S.E. David, K.D.M. Harris, B.R. Conway, P. Timmins.  
*Journal of Solid State Chemistry*, **2007**, *180*, 1068–1075.
286. Advantages of a redefinition of variable-space in direct-space structure solution from powder X-ray diffraction data.  
Z. Zhou, V. Siegler, E.Y. Cheung, S. Habershon, K.D.M. Harris, R.L. Johnston.  
*ChemPhysChem*, **2007**, *8*, 650–653.
287. Mechanistic aspects of the solid-state transformation of ammonium cyanate to urea at high pressure.  
R. Méreau, A. Desmedt, K.D.M. Harris.  
*Journal of Physical Chemistry B*, **2007**, *111*, 3960–3968.
288. Fundamental and applied aspects of urea and thiourea inclusion compounds.  
K.D.M. Harris.  
*Supramolecular Chemistry*, **2007**, *19*, 47–53.
289. Enhanced efficiency of direct-space structure solution from powder diffraction data in the case of conformationally flexible molecules.  
A.J. Hanson, E.Y. Cheung, K.D.M. Harris.  
*Journal of Physical Chemistry B*, **2007**, *111*, 6349–6356.
290. Probing the evolution of adsorption on nanoporous solids by *in situ* solid-state NMR spectroscopy.  
M. Xu, K.D.M. Harris, J.M. Thomas, D.E.W. Vaughan.  
*ChemPhysChem*, **2007**, *8*, 1311–1313.
291. Alteration of polymorphic selectivity through different crystallization mechanisms occurring in the same crystallization solution.  
M. Xu, K.D.M. Harris.  
*Journal of Physical Chemistry B*, **2007**, *111*, 8705–8707.
292. A multi-technique approach for probing the evolution of structural properties during crystallization of organic materials from solution.  
C.E. Hughes, S. Hamad, K.D.M. Harris, C.R.A. Catlow, P.C. Griffiths.  
*Faraday Discussions*, **2007**, *136*, 71–89.
293. Kinetics of molecular transport in a nanoporous crystal studied by confocal Raman microspectrometry: single file diffusion in a densely filled tunnel.  
J. Martí-Rujas, A. Desmedt, K.D.M. Harris, F. Guillaume.  
*Journal of Physical Chemistry B*, **2007**, *111*, 12339–12344.
294. Aspects of validation in the structure determination of organic materials from powder X-ray diffraction data.  
K.D.M. Harris.  
*Zeitschrift für Kristallographie*, **2007**, *S26*, 45–51.

295. Aperiodicity in organic materials.  
K.D.M. Harris.  
*Turning Points in Solid-State, Materials and Surface Science: A Book in Celebration of the Life and Work of Sir John Meurig Thomas* (Editors: K.D.M. Harris, P.P. Edwards), Royal Society of Chemistry, Cambridge, **2008**, pp. 302–333 (Chapter 19).
296. Triple-quantum  $^{23}\text{Na}$  MAS NMR spectroscopy as a technique for probing polymorphism in sodium salts.  
M. Xu, K.D.M. Harris.  
*Crystal Growth and Design*, **2008**, *8*, 6–10.
297. Structural properties of low-temperature phase transitions in the prototypical thiourea inclusion compound: cyclohexane/thiourea.  
Z. Pan, A. Desmedt, E.J. MacLean, F. Guillaume, K.D.M. Harris.  
*Journal of Physical Chemistry C*, **2008**, *112*, 839–847.
298. Mapping the evolution of adsorption of water in nanoporous silica by *in situ* solid-state  $^1\text{H}$  NMR spectroscopy.  
M. Xu, K.D.M. Harris, J.M. Thomas.  
*Journal of the American Chemical Society*, **2008**, *130*, 5880–5882.
299. Residue-based charge flipping: a new variant of an emerging algorithm for structure solution from X-ray diffraction data.  
Z. Zhou, K.D.M. Harris.  
*Journal of Physical Chemistry A*, **2008**, *112*, 4863–4868.
300. Clustering of glycine molecules in aqueous solution studied by molecular dynamics simulation.  
S. Hamad, C.E. Hughes, C.R.A. Catlow, K.D.M. Harris.  
*Journal of Physical Chemistry B*, **2008**, *112*, 7280–7288.
301. A technique for *in situ* monitoring of crystallization from solution by solid-state  $^{13}\text{C}$  CPMAS NMR spectroscopy.  
C.E. Hughes, K.D.M. Harris.  
*Journal of Physical Chemistry A*, **2008**, *112*, 6808–6810.
302. Characterization of a polymorphic system exhibiting a substantial variation of solubility in fluorinated solvent.  
M. Côte, C.E. Hughes, T.K. Austin, P.G.A. Rogueda, Z. Pan, K.D.M. Harris, P.C. Griffiths.  
*Journal of Physical Chemistry C*, **2008**, *112*, 14570–14578.
303. Predictable disorder *versus* polymorphism in the rationalization of structural diversity: a multi-disciplinary study of eniluracil.  
R.C.B. Copley, S.A. Barnett, P.G. Karamertzanis, K.D.M. Harris, B.M. Kariuki, M. Xu, E.A. Nickels, R.W. Lancaster, S.L. Price.  
*Crystal Growth and Design*, **2008**, *8*, 3474–3481.
304. Optical phonons in millerite (NiS) from single-crystal polarized Raman spectroscopy.  
F. Guillaume, S. Huang, K.D.M. Harris, M. Couzi, D. Talaga.  
*Journal of Raman Spectroscopy*, **2008**, *39*, 1419–1422.
305. Dynamic properties of solid ammonium cyanate.  
A. Desmedt, S.J. Kitchin, K.D.M. Harris, F. Guillaume, R.R. Tykwinski, M. Xu, M.A. Gonzalez.  
*Journal of Physical Chemistry C*, **2008**, *112*, 15870–15879.
306. A solid state dehydration process associated with a significant change in the topology of dihydrogen phosphate chains, established from powder X-ray diffraction.  
D. Albesa-Jové, Z. Pan, K.D.M. Harris, H. Uekusa.  
*Crystal Growth and Design*, **2008**, *8*, 3641–3645.
307. Optimizing the number of components in a molecular quasicrystal: a three-component material based on the Penrose tiling.  
Z. Zhou, K.D.M. Harris.  
*Journal of Physical Chemistry C*, **2008**, *112*, 16186–16188.
308. Counteracting stagnation in genetic algorithm calculations by implementation of a micro genetic algorithm strategy.  
Z. Zhou, K.D.M. Harris.  
*Physical Chemistry Chemical Physics*, **2008**, *10*, 7262–7269.
309. Direct structural understanding of a topochemical solid state photopolymerization reaction.  
F. Guo, J. Martí-Rujas, Z. Pan, C.E. Hughes, K.D.M. Harris.  
*Journal of Physical Chemistry C*, **2008**, *112*, 19793–19796.

310. Bidirectional transport of guest molecules through the nanoporous tunnel structure of a solid inclusion compound. J. Martí-Rujas, A. Desmedt, K.D.M. Harris, F. Guillaume. *Journal of Physical Chemistry C*, **2009**, *113*, 736–743.
311. Lessons on the assignment of polymorphs, highlighted by the case of the latent pigment DPP-Boc. E.J. MacLean, M. Tremayne, B.M. Kariuki, J.R.A. Cameron, M.A. Roberts, K.D.M. Harris. *Crystal Growth and Design*, **2009**, *9*, 853–857.
312. Vapour induced crystalline transformation investigated by *ab initio* powder X-ray diffraction analysis. K. Fujii, Y. Ashida, H. Uekusa, S. Hirano, S. Toyota, F. Toda, Z. Pan, K.D.M. Harris. *Crystal Growth and Design*, **2009**, *9*, 1201–1207.
313. Fundamentals and applications of genetic algorithms for structure solution from powder X-ray diffraction data. K.D.M. Harris. *Computational Materials Science*, **2009**, *45*, 16–20.
314. Multiple-fragment representations of molecular geometry in direct-space structure solution from powder X-ray diffraction data using genetic algorithms. Z. Zhou, K.D.M. Harris. *Computational Materials Science*, **2009**, *45*, 118–121.
315. Structure solution from powder X-ray diffraction data by Genetic Algorithm techniques, applied to organic materials generated as polycrystalline products from solid state processes. K.D.M. Harris. *Materials and Manufacturing Processes*, **2009**, *24*, 293–302.
316. The effect of deuteration on polymorphic outcome in the crystallization of glycine from aqueous solution. C.E. Hughes, K.D.M. Harris. *New Journal of Chemistry*, **2009**, *33*, 713–716.
317. *In situ* solid-state  $^1\text{H}$  NMR studies of hydration of the solid acid catalyst ZSM-5 in its ammonium form. M. Xu, K.D.M. Harris, J.M. Thomas. *Solid State Nuclear Magnetic Resonance*, **2009**, *35*, 93–99.
318. Crystal structure determination by the combined analysis of NMR and powder diffraction data. K.D.M. Harris, M. Xu. *Encyclopedia of Magnetic Resonance* (Editors: R.K. Harris, R. Wasylshen), John Wiley & Sons, Chichester, **2009**, DOI: 10.1002/9780470034590.emrstm1004.
319. Nitrogen and hydrogen adsorption by an organic microporous crystal. K.J. Msayib, D. Book, P.M. Budd, N. Chaukura, K.D.M. Harris, M. Helliwell, S. Tedds, A. Walton, J.E. Warren, M. Xu, N.B. McKeown. *Angewandte Chemie, International Edition*, **2009**, *48*, 3273–3277. *Angewandte Chemie*, **2009**, *121*, 3323–3327.
320. Preferential clustering of water molecules during hydration of the ammonium form of the solid acid catalyst ZSM-5. M. Xu, K.D.M. Harris, J.M. Thomas. *Catalysis Letters*, **2009**, *131*, 16–20.
321. Selected thoughts on chiral crystals, chiral surfaces, and asymmetric heterogeneous catalysis. K.D.M. Harris, J.M. Thomas. *ChemCatChem*, **2009**, *1*, 223–231.
322. Combined analysis of NMR and powder diffraction data. K.D.M. Harris, M. Xu. *NMR Crystallography* (Editors: R.K. Harris, R. Wasylshen, M.J. Duer), John Wiley & Sons, Chichester, **2009**, pp. 275–287 (Chapter 19).
323. Probing the evolution of water clusters during hydration of the solid acid catalyst H-ZSM-5. K.D.M. Harris, M. Xu, J.M. Thomas. *Philosophical Magazine*, **2009**, *89*, 3001–3012.
324. Pathways for hydrogen bond switching in a tetrameric methanol cluster. M. Mella, K.D.M. Harris. *Physical Chemistry Chemical Physics*, **2009**, *11*, 11340–11346.

325. "Amorphous nickel sulfide" is hydrated nanocrystalline NiS with a core-shell structure. S. Huang, K.D.M. Harris, E. Lopez-Capel, D.A.C. Manning, D. Rickard. *Inorganic Chemistry*, **2009**, *48*, 11486–11488.
326. Physico-chemical understanding of polymorphism and solid-state dehydration/rehydration processes for the pharmaceutical material acrinol, by *ab initio* powder X-ray diffraction analysis and other techniques. K. Fujii, H. Uekusa, N. Itoda, G. Hasegawa, E. Yonemochi, K. Terada, Z. Pan, K.D.M. Harris. *Journal of Physical Chemistry C*, **2010**, *114*, 580–586.
327. Selective transformation pathways between crystalline forms of an organic material established from powder X-ray diffraction analysis. K. Fujii, Y. Ashida, H. Uekusa, F. Guo, K.D.M. Harris. *Chemical Communications*, **2010**, *46*, 4264–4266.
328. Triptycene-based polymers of intrinsic microporosity: organic materials that can be tailored for gas adsorption. B.S. Ghanem, M. Hashem, K.D.M. Harris, K.J. Msayib, M. Xu, P.M. Budd, N. Chaukura, D. Book, S. Tedds, A. Walton, N.B. McKeown. *Macromolecules*, **2010**, *43*, 5287–5294.
329. Direct observation of a transient polymorph during crystallization. C.E. Hughes, K.D.M. Harris. *Chemical Communications*, **2010**, *46*, 4982–4984.
330. A solid-state dehydration process in an organic material associated with substantial hydrogen-bond reorganization, investigated by powder X-ray diffraction. J. Martí-Rujas, A. Morte-Ródenas, F. Guo, N. Thomas, K. Fujii, B.M. Kariuki, K.D.M. Harris. *Crystal Growth and Design*, **2010**, *10*, 3176–3181.
331. A strategy for retrospectively mapping the growth history of a crystal. B.A. Palmer, K.D.M. Harris, F. Guillaume. *Angewandte Chemie, International Edition*, **2010**, *49*, 5096–5100. *Angewandte Chemie*, **2010**, *122*, 5222–5226. [This paper was highlighted in *Chemical and Engineering News*, 28 June 2010]
332. Arrays of P=O dipoles as a recurrent structural motif in *bis*-diphenylphosphine oxides, established from powder X-ray diffraction. G.K. Lim, Z. Zhou, K. Fujii, P. Calcagno, E. Tedesco, S.J. Kitchin, B.M. Kariuki, D. Philp, K.D.M. Harris. *Crystal Growth and Design*, **2010**, *10*, 3814–3818.
333. Direct structure elucidation by powder X-ray diffraction of a metal-organic framework material prepared by solvent-free grinding. K. Fujii, A. Lazuen Garay, J. Hill, E. Sbircea, Z. Pan, M. Xu, D.C. Apperley, S.L. James, K.D.M. Harris. *Chemical Communications*, **2010**, *46*, 7572–7574.
334. An incommensurate thiourea inclusion compound. B.A. Palmer, B.M. Kariuki, V.K. Muppidi, C.E. Hughes, K.D.M. Harris. *Chemical Communications*, **2011**, *47*, 3760–3762.
335. Structural properties of carboxylic acid dimers confined within the urea tunnel structure: an MD simulation study. A.J. Illott, S. Palucha, A.S. Batsanov, K.D.M. Harris, P. Hodgkinson, M.R. Wilson. *Journal of Physical Chemistry B*, **2011**, *115*, 2791–2800.
336. Exploiting powder X-ray diffraction for direct structure determination in structural biology: the P2X4 receptor trafficking motif YEQGL. K. Fujii, M.T. Young, K.D.M. Harris. *Journal of Structural Biology*, **2011**, *174*, 461–467.
337. Natural-abundance solid-state  $^2\text{H}$  NMR spectroscopy at high magnetic field. A.E. Aliev, S.E. Mann, D. Iuga, C.E. Hughes, K.D.M. Harris. *Journal of Physical Chemistry A*, **2011**, *115*, 5568–5578.
338. Structural diversity, but no polymorphism, in a homologous family of co-crystals of urea and  $\alpha,\omega$ -dihydroxyalkanes. J. Martí-Rujas, B.M. Kariuki, C.E. Hughes, A. Morte-Ródenas, F. Guo, Z. Glavcheva-Laleva, K. Taştemür, L. Ooi, L. Yeo, K.D.M. Harris. *New Journal of Chemistry*, **2011**, *35*, 1515–1521.

339. Structural chemistry of a new chiral anhydrous phase of Ru(bipy)<sub>3</sub>(ClO<sub>4</sub>)<sub>2</sub> established from powder X-ray diffraction analysis.  
E.Y. Cheung, K. Fujii, F. Guo, K.D.M. Harris, S. Hasebe, R. Kuroda.  
*Crystal Growth and Design*, **2011**, *11*, 3313–3317.
340. Cooperativity in solid-state squaramides.  
R. Prohens, A. Portell, R. Barbas, X. Alcobé, M. Font-Bardia, S. Tomàs, C. Puigjaner, K. Fujii, K.D.M. Harris.  
*Crystal Growth and Design*, **2011**, in press
341. Reactions in solid-state inclusion compounds.  
K.D.M. Harris, B.A. Palmer, G.R. Edwards-Gau.  
*Supramolecular Chemistry: From Molecules to Materials*, (Editors: P.A. Gale, J.W. Steed), John Wiley & Sons, Chichester, **2011**, in press
342. Powder diffraction crystallography of molecular solids.  
K.D.M. Harris.  
*Topics in Current Chemistry*, **2011**, in press
343. Mechanochemistry: new and cleaner synthesis.  
S.L. James, C.J. Adams, C. Bolm, D. Braga, P. Collier, T. Friščić, F. Grepioni, K.D.M. Harris, G. Hyett, W. Jones, A. Krebs, J. Mack, L. Maini, A.G. Orpen, I.P. Parkin, W.C. Shearouse, J.W. Steed, D.C. Waddell.  
*Chemical Society Reviews*, **2011**, in press

### **Books**

1. Turning Points in Solid-State, Materials and Surface Science: A Book in Celebration of the Life and Work of Sir John Meurig Thomas.  
K.D.M. Harris, P.P. Edwards (Editors).  
*Royal Society of Chemistry*, Cambridge, **2008**.